

## Review

# Women's sports injuries: A bibliometric study of research trends and future perspectives

Ayona Eldos<sup>a</sup>, Shamshadali Perumbalath<sup>b</sup>, Vinu W<sup>a,\*</sup>

<sup>a</sup> Department of Physical Education and Sports, Pondicherry University, India

<sup>b</sup> Department of Banking Technology, Pondicherry University, India, 605 014



## ARTICLE INFO

## Keywords:

Women  
Sports  
Injury

## ABSTRACT

Women's participation in sports has grown significantly, but concerns about sports-related injuries among female athletes persist. This study conducts a bibliometric analysis of women's sports injuries literature using data from 910 research articles retrieved from the Scopus database (1962 to July 2024). Employing Biblioshiny and VOSviewer, this study analyses performance and science mapping techniques to landscape the research overview. These findings delineate influential authors, impactful journals, and important articles. Also, identify the major areas of interest and suggest trending and future potential areas of research investigation in women's sports injuries. The study's implications support researchers, coaches, trainers, policymakers, and funding institutions in enhancing collaboration and prioritizing research on women's sports injuries. Recommendations include expanding this study to explore emerging research directions.

## Introduction

Sports and games are not only an entertainment but also a highly competitive and professional field<sup>1</sup> in developed and developing countries. Sports activities provide better cultural and social understanding, opportunities for global recognition, and contribute to the better health and overall development of the country.<sup>2</sup> As the two sides of a coin, sports also has both negative and positive sides. While sports helps in psychosocial and personal development of an individual, the risk of injury and fear of failure which leads to poor mental health remain as some of the serious problems<sup>6</sup>.

In sports industry, to maintain high-level status, both growing and established athletes had to go through stress and pressure. These athletes train hardly to achieve maximum output, with maximum intensity and volume in their practice time<sup>3</sup>. This overload and lack of rest can lead to major injuries<sup>4</sup>. The athlete's poor physiological and physical conditions pave way to injury like lack of flexibility, strength and coordination in muscles and tendons. The physical conditions such as players' environment factors like practicing level, nature of the sports and position of the player in the game also matters.<sup>5-7</sup> So the major hazard in sports is injury which will lead to poor performance in the field of sports and poor mental health.<sup>3,6,8</sup>

In recent decades, studies show a significant growth in the

participation of women in sports.<sup>9</sup> The increased visibility and success of female athletes globally have contributed to a more inclusive sports culture, although disparities in treatment still exist.<sup>10,11</sup> If comparing college level and high school level players, 2 to 10 fold females have a high risk of chances in injury.<sup>12</sup> Overuse injury types are highly evident in the adolescent females.<sup>13</sup> The locations of injuries that happen in the human body are knee, ankle, and thigh and the common types of injuries are sprains or strains, contusions, and fractures.<sup>14,15</sup> The anterior cruciate ligament and patellofemoral injuries are the major women's lower body injuries, cartilage and muscle injuries, fractures are less common were tendonitis and inflammation.<sup>16-19</sup>

Simultaneously, a unique set of injury risks, including higher rates of Anterior Crucial Ligament (ACL) injuries and stress fractures, compared to men, often due to anatomical and hormonal differences.<sup>20</sup> Moreover, in the case of women, most injuries occur during practice sections or during the competitions.<sup>17</sup> The games were mainly injuries happen are soccer, gymnastics, ice hockey, and basketball.<sup>6,18</sup> Several biopsychosocial factors lead to the chance of injury.<sup>6</sup> When the disturbance and imbalance of knee neuromechanics, strength, flexibility.<sup>13</sup> Unbalanced loading and rest time lead to fatigue in the player and this causes injury.<sup>4</sup>

Addressing these gender-specific risks through tailored training and prevention programs is crucial for enhancing the safety and longevity of

\* Corresponding author at: Department of Physical Education & Sports, Pondicherry University, India 605 014.

E-mail addresses: [ayonaeldos@gmail.com](mailto:ayonaeldos@gmail.com) (A. Eldos), [shamshadali.nbr@pondiuni.ac.in](mailto:shamshadali.nbr@pondiuni.ac.in) (S. Perumbalath), [vinu@pondiuni.ac.in](mailto:vinu@pondiuni.ac.in) (V. W).

female athletes' careers.<sup>21</sup> Additionally, the academic community has explored this issue by conducting both clinical and theoretical studies to gain a deeper understanding of its dynamics. Various scientific methods have been employed to address research questions regarding injuries sustained by women in sports. The researcher's initial search for articles on women's injuries in sports produced numerous results and highlighted a significant rise in publications since 2015. Despite the extensive number of recent publications, none of the research efforts has been undertaken to explore how women's sports injury research has been studied. This observation has sparked an inquiry into the academic exploration of this topic, examining the breadth of this research domain, important contributors, and emerging themes. To address this research gap, we conduct a bibliometric analysis (BA) using Scopus data on women's sports injuries. We develop and implement key bibliometric analysis questions specifically tailored to the research domain of women's sports injuries. The research questions are as follows:

- How has the scholarly output on women's sports injuries evolved over the past years?
- Which authors and research teams have contributed the most to women's sports injuries research?
- What central research themes and areas have dominated the study of women's sports injuries?
- Which major publications have been most influential in the evolution of women's sports injuries research?
- What advancements in sports medicine are anticipated to significantly impact the prevention and management of women's sports injuries?
- What are the future potential areas of research in the women's sports injury research domain?

BA seeks to elucidate the expansion and evolution of a specific area of the research field, identify key leading authors, best sources, most contributing institutions, and sponsoring agencies, pinpoint thematic concentration, identify recent trends, and suggest potential keywords of recent and future areas of scope.<sup>22,23</sup> The current state of literature includes multiple bibliometric studies on sports injuries focusing on particular sports, such as football,<sup>24</sup> Ice and Snow Sports,<sup>25</sup> Karate Practitioner,<sup>26</sup> American Football,<sup>27</sup> and Cricket.<sup>28</sup> The current body of literature does not include a BA in women's sports-related injuries. This article follows the methodology adopted by Cherappurath et al. (2024)<sup>29</sup> in their recent BA of Women's football research. The present study diverges from previous bibliometric sports injury studies in four key ways. Firstly, concentrate specifically on women, making this the inaugural effort in this particular area. Secondly, Scopus, a widely used database in BA, has been used. Thirdly, data covers the period from 1962 to July 2024, and since 2015, there has been a substantial development in this area of study. Lastly, the bibliometric toolbox leverage of the Biblioshiny and VOSviewer was utilized to understand Science Mapping Analysis (SMA) and to obtain in-depth details.

The study finds that, in 2021, the highest number of articles on women's sports injuries was produced, a total of 102 publications. The United States (US) emerged as the foremost country in production, with the Norges Idrettshøgskole (Norwegian School of Sport Sciences, Oslo, Norway) identified as the top contributing institute. The National Institute of Arthritis and Musculoskeletal and Skin Diseases, US, sponsored the most studies in this domain, and the American Journal of Sports Medicine was the primary journal for publications. Häggglund has been identified as the leading author in the field based on fractionalized articles. Major thematic areas identified in the literature include head injuries, lower limb sports injuries, descriptive epidemiology, and traumatic brain injury (TBI). ACL Injuries, ACL Injury Prevention, Knee Biomechanics, Injury Risk Factors, Neuromuscular Training, and Sports Injury Epidemiology.

Further bibliometric coupling analysis highlighted concentrated areas of interest, indicating robust research activity in the field of


women's sports injury. The major clusters include epidemiological research approach, knee-related injuries, ACL Injuries, injuries in women's soccer, comparison studies of male and female footballers, and injury prevention. From the multiple keyword analysis, topics such as sports medicine, rehabilitation, TBI, sports injury epidemiology, injury surveillance, ACL injury, return to sport, motion analysis, concussion, machine learning, fatigue, and team sports were identified as recent trends and future focuses in the field. These areas underscore the importance of advanced medical care, injury rehabilitation, and enhanced injury prevention strategies, particularly in contact sports. Integration of machine learning and motion analysis promises to deepen our understanding of injury mechanisms and optimize rehabilitation protocols, and thereby improving athlete safety and performance.

## Data and methods

BA, introduced by Pritchard in 1969,<sup>30</sup> helps scholars identify significant contributors, landscaping research evolution, and suggesting potential future direction in a particular area domain,<sup>22</sup> using bibliometric data from academic literature.<sup>31,32</sup> This BA adheres to the workflow recommended by Zupic and Cater (2015)<sup>33</sup> and adopts analysis techniques followed by Cherappurath et al. (2024).<sup>29</sup> The workflow starts with fixing objectives and identifying keywords to retrieve relevant academic literature targeted. The objective of this research on women's sports injuries and classify major keyword heads such as women, sports, and injuries. The second stage is to select an authentic source of bibliometric data. This article opted for the Scopus database due to its wide coverage and rich citation data,<sup>34,35</sup> and it is widely accepted as a leading source for bibliometric studies.<sup>22,36,37</sup> Data was retrieved using three-fold search queries: woman, sports, and injury. This study prefers article titles<sup>38-40</sup> for the document search over other search fields except in sports, where 'title' OR 'keywords' gave preferences. Additionally, the queries were refined by limiting the document type and language to articles and English, respectively. Data inclusion criteria are illustrated in Fig. 1, and the detailed research query is provided in the appendix (Table A1). The final dataset for analysis comprises 910 articles published in English.

The third stage is to conduct BA and visualization. The numerous BA techniques are classified into performance analysis (PA) and SMA. Performance indicators involve a descriptive evaluation of contributions from research parties, while SMA focuses on finding relationships between research themes.<sup>37,41,42</sup> The SMA techniques help to identify the focus areas, evolution, trends, and future of a particular research constituent.<sup>22</sup> This research utilizes possible publication and citation-related metrics such as total publications, number of citations, and fractionalized articles to find the top contributors to women's sports injury research. Further, expand to citation analysis, co-citation analysis, bibliometric coupling, and co-word analysis from the science mapping toolbox. Additionally, use visualization techniques recommended by Aria & Cuccurullo,<sup>23</sup> Cobo et al.,<sup>37</sup> and Donthu et al.<sup>22</sup> Also, we prefer authors' keywords as the unit for all the SMA. This article uses Tableau, R-programmed Biblioshiny,<sup>23</sup> and Java Powered<sup>43</sup> for visualization analysis and presentation. The following section delves into the analysis and visualization process, emphasizing the interpretation and insights derived from the analyses.

The competence report from Biblioshiny on the bibliometric dataset indicates a range of quality across different metadata categories. The abstract (AB), document type (DT), journal (SO), language (LA), publication year (PY), title (TI), and total citations (TC) are all rated as having 'excellent' status, reflecting high-quality and reliable data. In addition, the author (AU), affiliation (C1), cited references (CR), and DOI (DI) are classified as having 'good' status, indicating that they are generally reliable but may benefit from some enhancements. Conversely, the keywords (DE) and corresponding author (RP) are marked as 'acceptable,' suggesting a need for improvement in specificity and relevance. Lastly, Keyword Plus (ID) and Science Category (WC) are rated as 'poor,'



**Fig. 1.** Bibliometric analysis data inclusion criteria  
 \*For the detailed search query, refer to Appendix Table A1.

highlighting significant gaps in data quality that require attention to strengthen the overall dataset’s integrity. Despite these weaknesses, the overall assessment shows that the dataset is largely good to go for bibliometric analysis, particularly given the strong ratings in critical areas.

**Results**


The results section divided into two-part, PA and SMA. The PA covers annual scientific output, leading sources, most cited articles, and the most prolific authors. Additionally, this study examines publications by countries, institutions, and funding agencies worldwide in women’s sports injury research. The SMA segment explores thematic concentration, thematic evolution, and potential future research areas in women’s sports injuries.

*Performance Analysis (PA)*

The performance analysis section comprises four primary assessments of this paper on women’s injuries in sports: the annual scientific production (Fig. 2), the leading sources of research articles (Table 1) depending on the number of publications, the most significant works (Table 2) measured by total citations and the most impactful authors (Table 3) in the area of women’s sports injury.

*Annual scientific production*

Fig reveals the growth in research publications on women’s sports injuries from 1962 to July 2024, with 910 research articles published during this period and an annual growth rate of 6.91 %. The scholarly output on women’s sports injuries progressed slowly in the early years but has experienced significant growth since 2015. The highest article



**Fig. 2.** Annual scientific production 1962–2024.

**Table 1**  
Top sources.

Rank	Source Title	N	Publisher	SCY	CS	SNIP
1	American Journal of Sports Medicine	86	SAGE	from 1973*	9.3	1.945
2	British Journal of Sports Medicine	62	BMJ Publishing Group	1964, from 1974*	27.1	4.917
3	Journal of Athletic Training	38	National Athletic Trainers' Association Inc.	from 1996*	5.3	1.254
4	Scandinavian Journal of Medicine and Science in Sports	34	Wiley-Blackwell	from 1991*	7.9	1.542
5	Physical Therapy in Sport	28	Elsevier	from 2000*	4.5	1.042
6	Clinical Journal of Sport Medicine	25	Wolters Kluwer Health	from 1993*	4.9	1.259
7	Journal of Science and Medicine in Sport	25	Elsevier	from 1998*	7.4	1.289
8	Orthopaedic Journal of Sports Medicine	23	SAGE	from 2013*	4.3	1.222
9	Physician and Sportsmedicine	22	Taylor & Francis	from 1978-2005, from 2008*	4.9	1.259
10	Medicine and Science in Sports and Exercise	17	Wolters Kluwer Health	from 1969	7.7	1.388

Source: Scopus;N: Number of articles; SCY: Scopus Coverage Year; CS: Cite Score 2023; SNIP: Source Normalized Impact per Paper, 2023; \*: to present date; Details are as of 05.08.2024.

102, was published in 2021, followed by 80 articles in 2023, 70 in 2022, and 51 in 2018. Forty-five percent of the publications have been produced in the last five years, and 64 % in the last decade. This result underscores the growing interest of scholars in women's sports injury research.

Figs. 3 and Fig. 4 display the collaboration networks among countries and institutions, respectively. The US heads with 41 research articles, trailed by Australia with 76, the United Kingdom with 76, Sweden with 60, and Canada with 49. The Norwegian School of Sport Sciences (Norges idrettshøgskole), Norway, is on the highest list with 36 research documents, followed by Linköping University, Linköping, Sweden, with 34 and Harvard Medical School, US, with 25. The major research funding sponsors for women's sports injury research are the National Institute of Arthritis and Musculoskeletal and Skin Diseases in the US, with 30 articles, the National Institutes of Health in the US with 28, and the National Collegiate Athletic Association in the US with 25 articles.

**Source**

Table 1 presents the top ten journal sources publishing research articles on women's sports injuries. This study identifies the leading journals are the first one is American Journal of Sports Medicine with 86 articles the second one is the British Journal of Sports Medicine with 62, the Journal of Athletic Training with 38, the Scandinavian Journal of Medicine and Science in Sports with 33, and Physical Therapy in Sport with 27 articles. Regarding the Cite Score for 2023, the British Journal of Sports Medicine achieved the top score of 27.1, trailed by the American Journal of Sports Medicine with 9.3, and the next one is the Scandinavian Journal of Medicine and Science in Sports with 7.9.

**Documents**

Table 2 highlights the top 10 most impactful articles based on global

**Table 2**  
Top most cited articles.

Rank	Title	TC	TCPY	NTC
1	Biomechanical Measures of Neuromuscular Control and Valgus Loading of the Knee Predict Anterior Cruciate Ligament Injury Risk in Female Athletes: A Prospective Study <sup>44</sup>	2512	125.80	5.92
2	Knee Injury Patterns Among Men and Women in Collegiate Basketball and Soccer: NCAA Data and Review of Literature <sup>45</sup>	1333	44.43	5.06
3	The Effect of Neuromuscular Training on the Incidence of Knee Injury in Female Athletes <sup>46</sup>	1217	46.81	4.92
4	High prevalence of knee osteoarthritis, pain, and functional limitations in female soccer players twelve years after anterior cruciate ligament injury <sup>47</sup>	1147	54.71	6.04
5	Effectiveness of a Neuromuscular and Proprioceptive Training Program in Preventing Anterior Cruciate Ligament Injuries in Female Athletes: 2-Year Follow-up <sup>48</sup>	892	44.60	2.10
6	Prevention of Anterior Cruciate Ligament Injuries in Female Team Handball Players: A Prospective Intervention Study Over Three Seasons <sup>49</sup>	688	31.32	4.75
7	Mechanisms for Noncontact Anterior Cruciate Ligament Injuries: Knee Joint Kinematics in 10 Injury Situations from Female Team Handball and Basketball <sup>50</sup>	646	43.20	7.55
8	Comprehensive warm-up programme to prevent injuries in young female footballers: cluster randomised controlled trial <sup>51</sup>	600	35.29	5.07
9	Anterior Cruciate Ligament Injury Patterns among Collegiate Men and Women	496	19.08	2.01
10	Intrinsic risk factors for exercise-related injuries among male and female army trainees <sup>52</sup>	459	14.34	3.57

Source: Scopus; TC: Total Citations; TCPY: Total Citations per Year; NTC: Normalized TC; Details are as of 05.08.2024.

**Table 3**  
Significant contributors.

Rank	Author	Articles	Rank	Author	Articles Fractionalized
1	Häggglund, M.	27	1	Häggglund, M.	6.38
2	Bahr, R.	24	2	Hewett, T.E.	4.92
3	Hewett, T.E.	23	3	Bahr, R.	4.69
4	Myer, G.D.	19	4	Myer, G.D.	4.11
5	Kerr, Z.Y.	18	5	Ford, K.R.	3.06
6	Dompier, T.	17	6	Waldén, M.	3.03
7	Ford, K.R.	16	7	Theberge, N.	3.00
8	Steffen, K.	15	8	Steffen, K.	2.81
9	Collins, C.L.	14	9	Finch, C.F.	2.81
10	Waldén, M.	14	10	Kerr, Z.Y.	2.55

Source: Scopus; Details are as of 05.08.2024.

citation counts. The article by Hewett et al. (2005)<sup>44</sup> leads with the highest citation count (2512) and examines predictors of ACL injury risk among female athletes in high-risk sports like soccer, basketball, and volleyball, focusing on neuromuscular control and joint loading during jump-landing tasks. The second-most cited paper (1331) by Arendt & Dick (1995)<sup>45</sup> explores the incidence of ACL injuries in both men's and women's collegiate soccer and basketball players' programs over a 5-year span using data from the National College Athletic Association Injury Surveillance System. It aims to identify factors contributing to the higher ACL injury rates compared to female and male athletes' counterparts. The third-most cited study (1214) by Hewett et al. (1999)<sup>46</sup> investigates the impact of neuromuscular training, specifically a plyometric training program, on the knee injury frequency of female high school athletes who participate in soccer, volleyball, and basketball, comparing them to untrained female athletes and male athletes. Despite

### Country Collaboration Map




Fig. 3. World collaboration map.




Fig. 4. Institution collaboration network

Layout: Automatic layout; Clustering Algorithm: Walktrap; Normalization: association Number of Nodes: 50; Minimum Number of Edges: 1.

their varying research questions, methods, and findings, all these studies focus on understanding knee-related injuries in female athletes, reflecting the interdisciplinary nature of this research field.

#### Author

The prime objective of this analysis is to find scholars who made pivotal contributions to the research domain. Table 3 ranks significant scholars based on article fractionalized values and the total number of publications. This article prioritizes fractionalized counting, considered more potent than total numbers.<sup>53</sup> The results rank Hägglund, M list the top publishing author with a fractionalized count of 6.38, followed by Hewett, T.E (4.92), Bahr, R (4.69), Myer, G.D (3.92) and Ford, K.R (3.06).

#### Science mapping

This study explores a wide range of women’s sports injury research, assessing the field’s current status, and identifying new areas of research interest. In this research employ multiple science mapping techniques from the BA toolkit to do this. Therefore, the science mapping section divide into two parts: First, thematic concentration to understand the current status and focused areas using the co-occurrence map (Fig. 7),


thematic map (Fig. 8), and Bibliometric Coupling (Fig. 9). Second, to recommend future research directions and areas in women’s sports injuries research, use the thematic evolution map (Fig. 10), trending topics (Fig. 11), and keyword overlay visualization (Fig. 12) maps.

#### Thematic concentration


Before beginning the thematic concentration analyses, the study presents Figs. 5 and 6, where Word TreeMap and Word Cloud are derived from the authors’ keywords (DE) through Biblioshiny, highlighting the most frequently cited keywords in the documents. The occurrence of keywords is represented by the size and color of the elements on the map: bigger box and text sizes represent a higher frequency of keyword occurrence. The most occurred keywords include females (139, 10%), injuries (121, 8%), football (108, 8%), epidemiology (96, 7%), ACL (87, 6%), female athlete (64, 4%), injury prevention (61, 4%) and sports injury epidemiology (56, 4%). Other keywords include sports, ACL injury, knee injuries, prevention, athletes, knee, risk factors, athletic injury, biomechanics, injury surveillance, young adult, basketball, concussions, gymnastics, injury risk, and sports medicine.

The co-occurrence map (Fig. 7) based on the authors’ keywords produces four major-colored clusters. The major cluster colored in violet comprises females, injuries, sports injury epidemiology, athletes,





**Fig. 7.** Cooccurrence map  
 Network Layout: Automatic layout; Clustering Algorithm: Walktrap; Normalization: association; Minimum Number of Edges: 2.




**Fig. 8.** Thematic map  
 Note: Field: Authors' Keywords, Minimum Cluster Frequency (per thousand documents): 5, Number of Labels: 1, Clustering Algorithm: Walktrap.


handball, lower extremity injury, females, injuries, football, epidemiology, sports injury epidemiology, sports, athletes, young adult, prevention, athletic injury, adolescent, sports medicine, wounds and injuries, gymnastics, rugby union, Australian football, burden, muscle injuries, gender, implementation research, running injury, overuse, overuse injuries, valgus knee, ice hockey, injury surveillance, volleyball, kinetics, lower limb sports injury, TBI, sex differences, stress fractures,

female athlete triad, running, training landing major latest keywords. Furthermore, the trend topics (Fig. 11) identify keywords such as Australian football, biomechanics, gymnastics, sports medicine, kinematics movement, muscle injuries, TBI, young adult, females, injuries, epidemiology, female athlete, neuromuscular, knee injuries, risk factors, training, injury prevention, knee, ACL, injury surveillance, ACL injury are in trending during 2020 to 2024. Finally, Fig presented





**Fig. 11.** Trend topics  
Parameters: Field: Author's keywords; Word Mini. Frequency: 5; Number of Words per Year: 3.



**Fig. 12.** Keyword overlay visualization  
Parameter: minimum occurrences: 4; Out of 1303 keywords, 128 met the threshold.

clinical findings, and MRI results of hamstring injuries in the Norwegian women's premier league.<sup>88</sup>

The National Institute of Arthritis and Musculoskeletal and Skin Diseases, US, has sponsored notable research in this research constituent. Their most impactful work, cited 2512 times, is by Hewett et al., 2005<sup>44</sup>. This study investigates how neuromuscular control and joint loading dynamics during jump-landing tasks forecast the risk of ACL injury in female athletes participating in high-risk sports like soccer,

basketball, and volleyball. Early studies sponsored by the agency found that knee motion and loading during landing predict ACL injury risk in female athletes. Those with more dynamic valgus and high abduction loads have a higher risk of ACL injury.<sup>89</sup> And review the overall landscape of ACL injury among female athletes.<sup>90</sup> The recent sponsored works assess how effective a neuromuscular training program is in reducing the incidence of lower-extremity musculoskeletal (LE MSK) injuries in female adolescent athletes who have a history of sport-related

concussions (SRC).<sup>91</sup> Another study assesses the psychological factors related to kinesiophobia, confidence, and psychological readiness in athletes who sustain a second ACL injury within 2 years of ACL reconstruction (ACLR) compared to those who do not experience a second ACL injury.<sup>92</sup> Recent works also discuss the simpler methods using clinical-grade MRIs that can identify the same knee anatomy factors contributing to ACL injury risk as found with advanced research-grade imaging.<sup>93</sup>

The American Journal of Sports Medicine is a leading source of articles in studies related to women’s sports injuries. The top-cited work (2512) published by the journal is by T. E. Hewett et al. (2005),<sup>44</sup> which is the top-cited article in this research area. The next highly cited (1338) work by Arendt & Dick<sup>94</sup> evaluates the rates and mechanisms of anterior cruciate ligament injuries in collegiate men’s and women’s soccer and basketball, specifically to assess the higher susceptibility of female athletes to these injuries and explore potential extrinsic and intrinsic factors contributing to this increased risk. The third most cited (1224) work evaluates the effect of neuromuscular training on the incidence of knee injury in female athletes and finds that collegiate female athletes have significantly higher rates of anterior cruciate ligament injuries than males, primarily due to non-contact mechanisms and various extrinsic and intrinsic factors.<sup>95</sup> The early publications from this journal were related to Injuries in women’s gymnastics,<sup>96</sup> epidemiology of women’s gymnastics injuries,<sup>97</sup> exercise-related injuries and performance-limiting conditions,<sup>98</sup> and an overview of injury experiences among collegiate women athletes.<sup>99</sup> Their recent publication investigates knee biomechanics during side-step cutting in female elite athletes with and without a history of ACL injury and their link to future ACL injuries<sup>87</sup>; evaluates multiple machine learning methods for predicting ACL injury risk factors<sup>100</sup>; and reviews research investigations on injuries in basketball.<sup>101</sup>

Hägglund, M. has significantly contributed 27 research articles to this research domain. His most cited (318 citations) study<sup>73</sup> evaluates the effectiveness of neuromuscular training programs in lowering the incidence of acute knee injuries. The early research includes assessing a warm-up program’s effectiveness in preventing acute knee injuries in adolescent female football players<sup>102</sup> and comparing injury incidence and patterns between male and female players in the Swedish premier league, focusing on exposure, injury severity, and common injury sites to inform preventive measures.<sup>103</sup> The author has recently published articles on Prep-to-Play PRO, an injury prevention program for women’s<sup>104</sup>; investigate the time-loss injury epidemiology and characteristics among women’s elite football players<sup>105</sup>; assess whether hop performance tests can predict safe football participation and the risk of ACL injury or reinjury<sup>106</sup>; explore the knowledge, attitudes, and behaviors of players, head coaches, and medical personnel in the Irish Women’s National League (WNL) to injury prevention and injury management<sup>107</sup>; investigate how different follow-up times and statistical methods (CART analysis and Cox regression) affect the association between various risk factors and ACL injury in female football players after ACL reconstruction<sup>108</sup>; explore factors affecting injury prevention and management<sup>109</sup>; measure changes in self-reported knee function,

activity level, and satisfaction in female football players with or without ACL reconstruction<sup>110</sup>; and describe the injury prevalence, patterns, and potential baseline risk factors among male and female football players.<sup>111</sup>

Through a comprehensive inspection of science mapping performances, this study reveals that despite the trending feature of basic themes in women’s sports injuries, there are still significant gaps and opportunities for further research. In addition to keywords associated with basic themes such as ACL injuries,<sup>87</sup> injury prevention,<sup>112</sup> and injury risk factors, major clusters of future research keywords were identified. First, injury types like TBI,<sup>113,114</sup> Lower extremity injury,<sup>115</sup> Overuse injuries,<sup>116</sup> and Concussions.<sup>117</sup> Second, Epidemiology and Descriptive Studies, epidemiology,<sup>118</sup> and descriptive epidemiology.<sup>119</sup> Furthermore, specific conditions include Sleep,<sup>120</sup> Stress,<sup>121</sup> Female athlete triad,<sup>116</sup> menstrual cycle,<sup>122,123</sup> and injury surveillance.<sup>124,125</sup> In addition, studies related to specific sports, such as gymnastics,<sup>126</sup> lacrosse,<sup>119</sup> Rugby,<sup>127</sup> and Australian Football.<sup>128</sup> Finally, others include the application of machine learning,<sup>100,129</sup> return to sport,<sup>130,131</sup> and rehabilitation,<sup>132-134</sup> which are also trending and have scope for future investigation. The aforementioned research works incorporate various combinations of these recommended keywords.

**Conclusion**

Women’s participation in sports has grown significantly, paralleled by increased concerns about sports-related injuries among female athletes. This study investigated a detailed BA of women’s sports injuries literature to elucidate the research landscape and identify future research directions. A total of 910 research articles were retrieved from the Scopus database from 1962 to July 2024 using advanced search strategies. This analysis, facilitated by Biblioshiny and VOSviewer, mapped performance metrics and scientific contributions, revealing trends, key contributors, and emerging themes. Our study can benefit academic stakeholders, trainers, and coaches. First, it gives a clear picture of the current research on women’s sports injuries. Second, our findings highlight current challenges in the field, supporting policymakers in promoting athlete safety and developing effective injury prevention strategies. Finally, our analysis identifies key contributors and collaborations among researchers, funding agencies, and institutions, which can enhance cooperation and lead to more impactful policy outcomes. However, our study is limited to data from the Scopus database, which may result in missing relevant studies from other sources. Additionally, the accuracy of bibliometric studies can be influenced by the quality and appropriateness of authors’ keywords, potentially affecting the identification of research clusters and emerging themes. Future research could benefit from including other sports-related injuries and exploring additional databases to provide a broader perspective on women’s sports injury research.

**Conflicts of interest**

None

**Appendix**

**Table A1**  
Search keywords.

Keywords	Result
Women	women* OR female* OR girl* 761,460 <sup>a</sup>
Sports	Sport* OR Athlet* OR Player* OR "Acrobatic Gymnastic*" OR "Alpine Skiing*" OR Archery* OR "Artistic Gymnastic*" OR "Artistic Swimming*" OR Athletic* OR Badminton* OR Baseball* OR Softball* OR Basketball* OR "Beach Handball*" OR "Beach Volleyball*" OR Biathlon* OR Bobsleigh* OR Boxing* OR 800623 <sup>b</sup>

(continued on next page)

Table A1 (continued)

Keywords	Result
	"Canoe Slalom*" OR "Canoe Sprint*" OR Cricket* OR "Cross-Country Skiing*" OR Curling* OR "Cycling BMX Freestyle*" OR "Cycling BMX Racing*" OR "Cycling Mountain Bike*" OR "Cycling Road*" OR "Cycling Track*" OR Diving* OR Equestrian* OR Fencing* OR "Fig Skating*" OR Football* OR "Freestyle Skiing*" OR Futsal* OR Golf* OR Handball* OR Hockey* OR "Ice Hockey*" OR Judo* OR Karate* OR "Lacrosse*" OR Luge* OR "Marathon Swimming*" OR "Modern Pentathlon*" OR "Nordic Combined*" OR "Rhythmic Gymnastic*" OR "Roller Speed Skating*" OR Rowing* OR "Rugby Sevens*" OR Sailing* OR Shooting* OR "Short Track Speed Skating*" OR "Skateboarding*" OR "Ski Jumping*" OR "Ski Mountaineering*" OR Snowboard* OR "Speed Skating*" OR "Sport Climbing*" OR Squash* OR Surfing* OR Swimming* OR Taekwondo* OR Tennis* OR Trampoline* OR Triathlon* OR Volleyball* OR "Water Polo*" OR Weightlifting* OR Wrestling* OR "skeleton bobsled" OR "Track and field" OR running* OR sprint* OR walking OR Walking OR jumping OR throwing OR racewalking OR "cross country" OR "cross-country" OR hurdles OR "steeplechase" OR Marathon OR "Half-marathon" OR "Half marathon" OR "Pole vault" OR jump* OR "High jump" OR "Long jump" OR "Triple jump" OR "Discuss throw" OR "Hammer throw" OR "Javelin throw" OR "Pentathlon" OR "Heptathlon" OR "Decathlon"
Injury	Injur* 475,196 <sup>a</sup>

\*Superscript a: indicates search on Article title; Superscript b indicates only article title or Keywords; Search Date: 05.08.2024

## References

- Hill J. *Sport in history: an introduction*. Bloomsbury Publishing; 2010.
- Nicholson M, HR, & HB (Eds.). *Participation in sport*. London: Routledge; 2011.
- Soligard T, Schwelnus M, Alonso JM, Bahr R, Clarsen B, Dijkstra HP, et al. How much is too much? (Part 1) International Olympic Committee consensus statement on load in sport and risk of injury. *Br J Sports Med*. 2016;50(17):1030–1041.
- Drew MK, Finch CF. The Relationship Between Training Load and Injury, Illness and Soreness: A Systematic and Literature Review. Vol. 46, Sports Medicine. Springer International Publishing; 2016. p. 861–83.
- Cross KM, Gurka KK, Saliba S, Conaway M, Hertel J. Comparison of hamstring strain injury rates between male and female intercollegiate soccer athletes. *Am J Sports Med*. 2013;41(4):742–748.
- Wiese-Bjornstal DM, Franklin AN, Dooley TN, Foster MA, Winges JB. Observations about sports injury surveillance and sports medicine psychology among female athletes. *Women Sport Phys Act J*. 2015;23(2):64–73.
- Meeuwisse WH, Tyreman H, Hagel B, Emery C. A Dynamic Model of Etiology in Sport Injury: The Recursive Nature of Risk and Causation.
- Rice SM, Purcell R, De Silva S, Mawren D, McGorry PD, Parker AG. The Mental Health of Elite Athletes: A Narrative Systematic Review. Vol. 46, Sports Medicine. Springer International Publishing; 2016. p. 1333–53.
- Staurowsky EJ. Women and Sport: Continuing a Journey of Liberation and Celebration. 2016.
- Fink JS. Female athletes, women's sport, and the sport media commercial complex: Have we really "come a long way, baby"? *Sport Management Review*. 2015;18(3):331–42.
- Kane MJ, LaVoi N. An examination of intercollegiate athletic directors' attributions regarding the underrepresentation of female coaches in women's sports. *Women Sport Phys Act J*. 2018;26(1):3–11.
- Robinson RL, Nee RJ. Analysis of hip strength in females seeking physical therapy treatment for unilateral patellofemoral pain syndrome. *J Orthop Sports Phys Ther*. 2007;37(5):232–238.
- Cuff S, Loud K, O'Riordan MA. Overuse injuries in high school athletes. *Clin Pediatr (Phila)*. 2010;49(8):731–736.
- Hootman JM, Dick R, Agel J. by the National Athletic Trainers [Internet]. Vol. 42, Journal of Athletic Training 311 Journal of Athletic Training. Association, Inc; 2007. Available from: [www.journalofathletictraining.org](http://www.journalofathletictraining.org).
- Leininger RE, Knox CL, Comstock RD. Epidemiology of 1.6 million pediatric soccer-related injuries presenting to US emergency departments from 1990 to 2003. *American Journal of Sports Medicine*. 2007;35(2):288–93.
- Robinson J, McGuire J. Suggestibility and children with mild learning disabilities: the use of the cognitive interview. *Psychology, Crime and Law*. 2006;12(5):537–556.
- Ingram JG, Fields SK, Yard EE, Comstock RD. Epidemiology of knee injuries among boys and girls in US high school athletics. *Am J Sports Med*. 2008;36(6):1116–1122.
- Fernandez WG, Yard EE, Comstock RD. Epidemiology of lower extremity injuries among U.S. high school athletes. *Acad Emerg Med*. 2007;14(7):641–645.
- Barber Foss KD, Myer GD, Hewett TE. Epidemiology of basketball, soccer, and volleyball injuries in middle-school female athletes. *Physician and Sportsmedicine*. 2014;42(2):146–153.
- Arendt EA, Agel J, Dick R. Anterior cruciate ligament injury patterns among collegiate men and women. *J Athl Train [Internet]*. 1999 Apr [cited 2024 May 24];34(2):86–92. Available from: <https://pubmed.ncbi.nlm.nih.gov/16558564/>.
- Hewett TE, Myer GD, Ford KR. Anterior cruciate ligament injuries in female athletes. *Am J Sports Med*. 2006;34(2):299–311.
- Donthu N, Kumar S, Mukherjee D, Pandey N, Lim WM. How to conduct a bibliometric analysis: An overview and guidelines. *J Bus Res*. 2021;133:285–296.
- Aria M, Cuccurullo C. bibliometrix: An R-tool for comprehensive science mapping analysis. *J Informetr*. 2017;11(4):959–975.
- Guzmán-Vásquez DH, Rueda-Calderón MA, Medino-Muñoz J. Ten years of football (soccer) injuries in the literature. A bibliometric approach. *Archivos de Medicina del Deporte*. 2022;39(4):213–221.
- Zhang W, Li H, Wang D, Xu G, Xu C, Li J, et al. The global research status and trends in ice and snow sports injuries from 1995 to 2022: a bibliometric and visualized analysis. *Int J Environ Res Public Health*. 2023;20(4):2880.
- Kek HY, Tan H, Wong KY, Kuan G. *Common Sports Injury in Karate Practitioner: A Bibliometric Analysis and Mini-Review (1992–2021)*. 2023:177–190.
- Desai SS, Dent CS, El-Najjar DB, Swindell HW, Popkin CA. Musculoskeletal injury in american football: a bibliometric analysis of the most cited articles. *Orthop J Sports Med*. 2023;11(6).
- Dhillon MS, Patel S, Sharma S. Beyond the boundary: a bibliometric analysis of the published research on injuries in cricket. *Indian J Orthop*. 2023;57(10):1575–1583.
- Cherappurath N, Shamshadali P, Elayaraja M, DAK KI. Mapping the field: a bibliometric analysis of women's football research trends and future directions. *Apunts Sports Medicine*. 2024;59(223), 100448.
- Pritchard A. Statistical bibliography or bibliometrics. *Journal of Documentation [Internet]*; 1969 [cited 2024 Jun 4];25:348. Available from <https://cir.nii.ac.jp/crid/1570009750342049664>.
- Broadus RN. Toward a definition of "bibliometrics. *Scientometrics*. 1987;12(5–6):373–379.
- Borchardt R. *Chin Roemer R. Meaningful Metrics: A 21st Century Librarian's Guide to Bibliometrics*. Altmetrics and Research Impact; 2015.
- Zupic I, Cater T. Bibliometric methods in management and organization. *Organ Res Methods*. 2015;18(3):429–472.
- Mongeon P, Paul-Hus A. The journal coverage of Web of Science and Scopus: a comparative analysis. *Scientometrics [Internet]*. 2016;106(1):213–228 [cited 2024 Jun 10] Available from <https://link.springer.com/article/10.1007/s11192-015-1765-5>.
- Baas J, Schotten M, Plume A, Côté G, Karimi R. Scopus as a curated, high-quality bibliometric data source for academic research in quantitative science studies. *Quantitative Studies*. 2020;1(1):377–386.
- Vieira ES, Gomes JANF. A comparison of Scopus and Web of Science for a typical university. *Scientometrics [Internet]*. 2009;81(2):587–600 [cited 2023 Feb 9] Available from: <https://akjournals.com/view/journals/11192/81/2/article-p587.xml>.
- Cobo MJ, López-Herrera AG, Herrera-Viedma E, Herrera F. An approach for detecting, quantifying, and visualizing the evolution of a research field: a practical application to the Fuzzy Sets Theory field. *J Informetr*. 2011;5(1):146–166.
- Tullu M. Writing the title and abstract for a research paper: Being concise, precise, and meticulous is the key. *Saudi J Anaesth*. 2019;13(5):12.
- Hyland K, Zou H. (Joanna). Titles in research articles. *J Engl Acad Purp*. 2022;56, 101094.
- Nature. Why the title of your paper matters. *Nat Hum Behav [Internet]*. 2021;5(6):665–665. Available from: <https://www.nature.com/articles/s41562-021-01152-2>.
- Ramos-Rodríguez A, Ruiz-Navarro J. Changes in the intellectual structure of strategic management research: a bibliometric study of the *Strategic Management Journal*, 1980–2000. *Strategic Management Journal*. 2004;25(10):981–1004.
- Baker HK, Kumar S, Pandey N. Forty years of the *Journal of Futures Markets*: A bibliometric overview. *Journal of Futures Markets*. 2021;41(7):1027–1054.
- van Eck NJ, Waltman L. Software survey: VOSviewer, a computer program for bibliometric mapping. *Scientometrics [Internet]*. 2009;84(2):523–538 [cited 2023 Jan 20] Available from <https://akjournals.com/view/journals/11192/84/2/article-p523.xml>.
- Hewett TE, Myer GD, Ford KR, Heidt RS, Colosimo AJ, McLean SG, et al. Biomechanical measures of neuromuscular control and valgus loading of the knee predict anterior cruciate ligament injury risk in female athletes: a prospective study. *Am J Sports Med*. 2005;33(4):492–501.
- Arendt E, Dick R. Knee injury patterns among men and women in collegiate basketball and soccer. NCAA data and review of literature. *Am J Sports Med [Internet]*. 1995;23(6):694–701 [cited 2024 Aug 10] Available from <https://pubmed.ncbi.nlm.nih.gov/8600737/>.
- Hewett TE, Lindenfeld TN, Riccobene JV, Noyes FR. The effect of neuromuscular training on the incidence of knee injury in female athletes. A prospective study. *Am J Sports Med [Internet]*. 1999;27(6):699–706 [cited 2024 Aug 10] Available from <https://pubmed.ncbi.nlm.nih.gov/10569353/>.
- Lohmander LS, Östenberg A, Englund M, Roos H. High prevalence of knee osteoarthritis, pain, and functional limitations in female soccer players twelve years after anterior cruciate ligament injury. *Arthritis Rheum*. 2004;50(10):3145–3152.
- Mandelbaum BR, Silvers HJ, Watanabe DS, Knarr JF, Thomas SD, Griffin LY, et al. Effectiveness of a neuromuscular and proprioceptive training program in preventing anterior cruciate ligament injuries in female athletes. *Am J Sports Med*. 2005;33(7):1003–1010.

49. Myklebust G, Engebretsen L, Brækken IH, Skjølberg A, Olsen OE, Bahr R. Prevention of anterior cruciate ligament injuries in female team handball players: a prospective intervention study over three seasons. *Clin J Sport Med*. 2003;13(2):71–78.
50. Koga H, Nakamae A, Shima Y, Iwasa J, Myklebust G, Engebretsen L, et al. Mechanisms for noncontact anterior cruciate ligament injuries. *Am J Sports Med*. 2010;38(11):2218–2225.
51. Soligard T, Myklebust G, Steffen K, Holme I, Silvers H, Bizzini M, et al. Comprehensive warm-up programme to prevent injuries in young female footballers: cluster randomised controlled trial. *BMJ*. 2008;337(dec09 2):a2469–a2469.
52. Jones BH, Bovee MW, JMcA Harris, Cowan DN. Intrinsic risk factors for exercise-related injuries among male and female army trainees. *Am J Sports Med*. 1993;21(5):705–710.
53. Egghe L, Rousseau R, Van Hooydonk G. Methods for accrediting publications to authors or countries: consequences for evaluation studies. *J Am Society for Inf Sci [Internet]*. 2000;51(2):145–157 [cited 2024 Jun 5] Available from <https://onlinelibrary.wiley.com/doi/epdf/10.1002/%28SICI%291097-4571%282000%2951%3A2%3C145%3A%3AAID-ASI6%3E3.0.CO%3B2-9>.
54. Park KJ, Lee JH, Kim HC. Injuries in male and female elite Korean wrestling athletes: a 10-year epidemiological study. *Br J Sports Med*. 2019;53(7):430–435.
55. Sands WA. Injury Prevention in Women's Gymnastics. *Sports Medicine*. 2000;30(5):359–373.
56. Caine D, Cochrane B, Caine C, Zemper E. An epidemiologic investigation of injuries affecting young competitive female gymnasts. *Am J Sports Med*. 1989;17(6):811–820.
57. Kerr ZY, Hayden R, Barr M, Klossner DA, Dompier TP. Epidemiology of national collegiate athletic association women's gymnastics injuries, 2009–2010 through 2013–2014. *J Athl Train*. 2015;50(8):870–878.
58. Baugh CM, Weintraub GS, Gregory AJ, Djoko A, Dompier TP, Kerr ZY. Descriptive epidemiology of injuries sustained in national collegiate athletic association men's and women's volleyball, 2013–2014 to 2014–2015. *Sports Health*. 2017;10(1):60–69.
59. Ingram JG, Fields SK, Yard EE, Comstock RD. Epidemiology of Knee Injuries among Boys and Girls in US High School Athletics. *Am J Sports Med*. 2008;36(6):1116–1122.
60. Pierpoint LA, Caswell SV, Walker N, Lincoln AE, Currie DW, Knowles SB, et al. The first decade of web-based sports injury surveillance: Descriptive epidemiology of injuries in US high school girls' lacrosse (2008–2009 through 2013–2014) and National Collegiate Athletic Association women's lacrosse (2004–2005 through 2013–2014). *J Athl Train*. 2019;54(1):42–54.
61. Løes M, Dahlstedt LJ, Thomée RA. 7-year study on risks and costs of knee injuries in male and female youth participants in 12 sports. *Scand J Med Sci Sports*. 2000;10(2):90–97.
62. Gilchrist J, Mandelbaum BR, Melancon H, Ryan GW, Silvers HJ, Griffin LY, et al. A Randomized Controlled Trial to Prevent Noncontact Anterior Cruciate Ligament Injury in Female Collegiate Soccer Players. *Am J Sports Med*. 2008;36(8):1476–1483.
63. Hewett T, Myer G. Reducing Knee and Anterior Cruciate Ligament Injuries Among Female Athletes – A Systematic Review of Neuromuscular Training Interventions. *J Knee Surg*. 2010;18(01):82–88.
64. Le Gall F, Carling C, Reilly T. Injuries in Young Elite Female Soccer Players. *Am J Sports Med*. 2008;36(2):276–284.
65. Del Coso J, Herrero H, Salinero JJ. Injuries in Spanish female soccer players. *J Sport Health Sci*. 2018;7(2):183–190.
66. Larruskain J, Lekue JA, Diaz N, Odriozola A, Gil SM. A comparison of injuries in elite male and female football players: A five-season prospective study. *Scand J Med Sci Sports*. 2018;28(1):237–245.
67. Owoeye OBA, Aiyegbusi AI, Fajolu OA, Badru OA, Babalola AR. Injuries in male and female semi-professional football (soccer) players in Nigeria: prospective study of a National Tournament. *BMC Res Notes*. 2017;10(1):133.
68. Cross KM, Gurka KK, Saliba S, Conaway M, Hertel J. Comparison of Hamstring Strain Injury Rates Between Male and Female Intercollegiate Soccer Athletes. *Am J Sports Med*. 2013;41(4):742–748.
69. Ekstrand J, Hägglund M, Fuller CW. Comparison of injuries sustained on artificial turf and grass by male and female elite football players. *Scand J Med Sci Sports*. 2011;21(6):824–832.
70. Fuller CW, Dick RW, Corlette J, Schmalz R. Comparison of the incidence, nature and cause of injuries sustained on grass and new generation artificial turf by male and female football players. Part 1: match injuries. *Br J Sports Med*. 2007;41(suppl 1):i20–6.
71. Geertsema C, Geertsema L, Farooq A, Harøy J, Oester C, Weber A, et al. Injury prevention knowledge, beliefs and strategies in elite female footballers at the FIFA Women's World Cup France 2019. *Br J Sports Med*. 2021;55(14):801–806.
72. Kiani A. Prevention of Soccer-Related Knee Injuries in Teenaged Girls. *Arch Intern Med*. 2010;170(1):43.
73. Walden M, Atroshi I, Magnusson H, Wagner P, Hägglund M. Prevention of acute knee injuries in adolescent female football players: cluster randomised controlled trial. *BMJ*. 2012;344(may03 1):e3042–e3042.
74. Steffen K, Emery CA, Romiti M, Kang J, Bizzini M, Dvorak J, et al. High adherence to a neuromuscular injury prevention programme (FIFA 11+) improves functional balance and reduces injury risk in Canadian youth female football players: a cluster randomised trial. *Br J Sports Med*. 2013;47(12):794–802.
75. Myklebust G, Skjølberg A, Bahr R. ACL injury incidence in female handball 10 years after the Norwegian ACL prevention study: important lessons learned. *Br J Sports Med*. 2013;47(8):476–479.
76. Steffen K, Meeuwisse WH, Romiti M, Kang J, McKay C, Bizzini M, et al. Evaluation of how different implementation strategies of an injury prevention programme (FIFA 11+) impact team adherence and injury risk in Canadian female youth football players: a cluster-randomised trial. *Br J Sports Med*. 2013;47(8):480–487.
77. Myer GD, Ford KR, Barber Foss KD, Liu C, Nick TG, Hewett TE. The Relationship of Hamstrings and Quadriceps Strength to Anterior Cruciate Ligament Injury in Female Athletes. *Clin J Sport Med*. 2009;19(1):3–8.
78. Myer GD, Ford KR, Khoury J, Succop P, Hewett TE. Development and Validation of a Clinic-Based Prediction Tool to Identify Female Athletes at High Risk for Anterior Cruciate Ligament Injury. *Am J Sports Med*. 2010;38(10):2025–2033.
79. Myer GD, Ford KR, Khoury J, Succop P, Hewett TE. Biomechanics laboratory-based prediction algorithm to identify female athletes with high knee loads that increase risk of ACL injury. *Br J Sports Med*. 2011;45(4):245–252.
80. Steffen K, Bakka HM, Myklebust G, Bahr R. Performance aspects of an injury prevention program: a ten-week intervention in adolescent female football players. *Scand J Med Sci Sports*. 2008;18(5):596–604.
81. Yoo JH, Lim BO, Ha M, Lee SW, Oh SJ, Lee YS, et al. A meta-analysis of the effect of neuromuscular training on the prevention of the anterior cruciate ligament injury in female athletes. *Knee Surg Sports Traumatol Arthrosc*. 2010;18(6):824–830.
82. Myer GD, Sugimoto D, Thomas S, Hewett TE. The Influence of Age on the Effectiveness of Neuromuscular Training to Reduce Anterior Cruciate Ligament Injury in Female Athletes. *Am J Sports Med*. 2013;41(1):203–215.
83. Ruedl G, Fink C, Schranz A, Sommersacher R, Nachbauer W, Burtcher M. Impact of environmental factors on knee injuries in male and female recreational skiers. *Scand J Med Sci Sports*. 2012;22(2):185–189.
84. Myklebust G, Engebretsen L, Brækken IH, Skjølberg A, Olsen OE, Bahr R. Prevention of Anterior Cruciate Ligament Injuries in Female Team Handball Players: A Prospective Intervention Study Over Three Seasons. *Clin J Sport Med*. 2003;13(2):71–78.
85. Steffen K, Andersen TE, Bahr R. Risk of injury on artificial turf and natural grass in young female football players. *Br J Sports Med*. 2007;41(suppl 1):i33–i37.
86. Thorarindottir S, Amundsen R, Larmo A, Pedersen R, Andersen TE, Bahr R, et al. Groin injuries in women's premier league football in Norway: A two-season prospective cohort study describing clinical and imaging characteristics. *Scand J Med Sci Sports*. 2024;34(4).
87. Mausehund L, Krosshaug T. Knee Biomechanics During Cutting Maneuvers and Secondary ACL Injury Risk: A Prospective Cohort Study of Knee Biomechanics in 756 Female Elite Handball and Soccer Players. *Am J Sports Med*. 2024;52(5):1209–1219.
88. Amundsen R, Thorarindottir S, Larmo A, Pedersen R, Andersen TE, Møller M, et al. #ReadyToPlay: hamstring injuries in women's football – a two-season prospective cohort study in the Norwegian women's premier league. *Science and Medicine in Football*. 2024:1–9.
89. Hewett TE, Myer GD, Ford KR, Heidt RS, Colosimo AJ, McLean SG, et al. Biomechanical Measures of Neuromuscular Control and Valgus Loading of the Knee Predict Anterior Cruciate Ligament Injury Risk in Female Athletes: A Prospective Study. *Am J Sports Med*. 2005;33(4):492–501.
90. Hewett T, Myer G. Reducing Knee and Anterior Cruciate Ligament Injuries Among Female Athletes – A Systematic Review of Neuromuscular Training Interventions. *J Knee Surg*. 2010;18(01):82–88.
91. McPherson AL, Zuleger TM, Barber Foss KD, Warren SM, Hogg JA, Diekfuss JA, et al. Does Neuromuscular Training Reduce the Risk of Lower-Extremity Musculoskeletal Injury in High School Female Athletes With a History of Sport-Related Concussion? *J Sport Rehabil*. 2024;33(7):506–514.
92. Zarzycki R, Cummer K, Arhos E, Failla M, Capin JJ, Smith AH, et al. Female Athletes With Better Psychological Readiness Are at Higher Risk for Second ACL Injury After Primary ACL Reconstruction. *Sports Health: A Multidisciplinary Approach*. 2024;16(1):149–154.
93. Beaulieu ML, Nowak EK, Beynon BD, Ashton-Miller JA, Sturnick DR, Wojtyk EM. Clinical-Grade MRI-Based Methods to Identify Combined Anatomic Factors That Predict ACL Injury Risk in Male and Female Athletes. *Am J Sports Med*. 2021;49(10):2615–2623.
94. Arendt E, Dick R. Knee Injury Patterns Among Men and Women in Collegiate Basketball and Soccer. *Am J Sports Med*. 1995;23(6):694–701.
95. Hewett TE, Lindenfeld TN, Riccobene JV, Noyes FR. The Effect of Neuromuscular Training on the Incidence of Knee Injury in Female Athletes. *Am J Sports Med*. 1999;27(6):699–706.
96. Snook GA. Injuries in women's gymnastics. *Am J Sports Med*. 1979;7(4):242–244.
97. Garrick JG, Requa RK. Epidemiology of women's gymnastics injuries. *Am J Sports Med*. 1980;8(4):261–264.
98. Kowal DM. Nature and causes of injuries in women resulting from an endurance training program. *Am J Sports Med*. 1980;8(4):265–269.
99. Clarke KS, Buckley WE. Women's injuries in collegiate sports. *Am J Sports Med*. 1980;8(3):187–191.
100. Jauhainen S, Kauppi JP, Krosshaug T, Bahr R, Bartsch J, Äyrämö S. Predicting ACL Injury Using Machine Learning on Data From an Extensive Screening Test Battery of 880 Female Elite Athletes. *Am J Sports Med*. 2022;50(11):2917–2924.
101. Lian J, Sewani F, Dayan I, Voleti PB, Gonzalez D, Levy IM, et al. Systematic Review of Injuries in the Men's and Women's National Basketball Association. *Am J Sports Med*. 2022;50(5):1416–1429.
102. Hägglund M, Waldén M, Atroshi I. Preventing knee injuries in adolescent female football players – design of a cluster randomized controlled trial [NCT00894595]. *BMC Musculoskelet Disord*. 2009;10(1):75.
103. Hägglund M, Waldén M, Ekstrand J. Injuries among male and female elite football players. *Scand J Med Sci Sports*. 2009;19(6):819–827.

104. Bruder AM, Patterson BE, Crossley KM, Mosler AB, Haberfield MJ, Häggglund M, et al. If we build it together, will they use it? A mixed-methods study evaluating the implementation of Prep-to-Play PRO: an injury prevention programme for women's elite Australian Football. *Br J Sports Med.* 2024;58(4):213–221.
105. Hallén A, Tomás R, Ekstrand J, Bengtsson H, Van den Steen E, Häggglund M, et al. UEFA Women's Elite Club Injury Study: a prospective study on 1527 injuries over four consecutive seasons 2018/2019 to 2021/2022 reveals thigh muscle injuries to be most common and ACL injuries most burdensome. *Br J Sports Med.* 2024;58(3):128–136.
106. Fältström A, Kvist J, Häggglund M. Are We Jumping to the Wrong Conclusions? Longer Jumps and More Hops in Female Football Players Who Went on to Sustain a Primary or Secondary ACL Injury Compared to Those Who Did Not. *Sports Med Open.* 2023;9(1):105.
107. Horan D, Kelly S, Häggglund M, Blake C, Roe M, Players' Delahunt E. Head Coaches', And Medical Personnels' Knowledge, Understandings and Perceptions of Injuries and Injury Prevention in Elite-Level Women's Football in Ireland. *Sports Med Open.* 2023;9(1):64.
108. Fältström A, Häggglund M, Kvist J, Mendonça LD. Risk Factors for Sustaining a Second ACL Injury after Primary ACL Reconstruction in Female Football Players: A Study Investigating the Effects of Follow-Up Time and the Statistical Approach. *Sports Med Open.* 2023;9(1):29.
109. Horan D, Delahunt E, Roe M, Häggglund M, Blake C, Kelly S. More than likely the men come first. That's just very frustrating'. A qualitative exploration of contextual factors affecting the implementation of injury prevention initiatives and the provision of effective injury management in elite-level women's club football in Ireland. *Br J Sports Med.* 2024;58(2):89–96.
110. Fältström A, Häggglund M, Hedevik H, Kvist J. Self-reported knee function and activity level are reduced after primary or additional anterior cruciate ligament injury in female football players: a five-year follow-up study. *Braz J Phys Ther.* 2023;27(6), 100573.
111. Sonesson S, Lindblom H, Häggglund M. Higher age and present injury at the start of the season are risk factors for in-season injury in amateur male and female football players—a prospective cohort study. *Knee Surg Sports Traumatol Arthrosc.* 2023;31(10):4618–4630.
112. Belamjabad A, Tourny C, Jebabli N, Clark CCT, Laher I, Hackney AC, et al. Effects of a Preseason Neuromuscular Training Program vs. an Endurance-Dominated Program on Physical Fitness and Injury Prevention in Female Soccer Players. *Sports Med Open.* 2024;10(1):76.
113. LÖE Claessen, H Kristjánsdóttir, Jónsdóttir MK, Lund SH, Kristensen ISU, HÁ Sigurjónsdóttir. Erratum to: Screening for possible hypopituitarism following mild traumatic brain injury: The first all-female study. Who do we need to evaluate further? *NeuroRehabilitation.* 2023;53(3), 419–419.
114. Eggertsdóttir Claessen LÖ, Kristjánsdóttir H, Jónsdóttir MK, Lund SH. Unnsteinsdóttir Kristensen I, Ágústa Sigurjónsdóttir H. Pituitary dysfunction following mild traumatic brain injury in female athletes. *Endocr Connect.* 2023;13(2).
115. Kurihara Y, Matsumura M, Ohsugi H, Matsuda T, Fujikawa D. Relationship between lower extremity injury experience and dynamic balance function in school-age female badminton players. *Sport Sci Health.* 2024;20(1):235–240.
116. Miller Olson E, Sainani KL, Dyrek P, Bakal D, Miller K, Carlson JL, et al. The association between overuse and musculoskeletal injuries and the female athlete triad in Division I collegiate athletes. *PM&R.* 2024.
117. Bennett H, Fuller J, DeBenedictis T, Chalmers S. Ankle sprain, concussion, and anterior cruciate ligament injuries are common and burdensome in sub-elite female Australian football players. *J Sci Med Sport.* 2024.
118. Quintana-Cepedal M, Rocés-Vila I, del Valle M, Olmedillas H. Epidemiology of injuries in elite female rink hockey players: A two season observational study. *Physical Therapy in Sport.* 2024;67:7–12.
119. Garcia A, Redler LH. Descriptive epidemiology of injuries sustained in national collegiate athletic association men's and women's lacrosse, 2004–2005 through 2013–2014 seasons. *HSS J.* 2024;20(2):288–297.
120. Senbel S, Sharma S, Raval MS, Taber C, Nolan J, Artan NS, et al. Impact of sleep and training on game performance and injury in division-1 women's basketball amidst the pandemic. *IEEE Access.* 2022;10:15516–15527.
121. Wörner T, Kauppinen S, Eek F. Same game, different worlds? General conditions, perceived stress, and associations between stress and past season injuries in elite female and male ice hockey players. *BMC Sports Sci Med Rehabil.* 2024;16(1):69.
122. Hayward E, Akam L, Hunter D, Mastana S. Role of the menstrual cycle on performance and injury risk: a survey of female professional rugby players in the united kingdom. *Int J Environ Res Public Health.* 2024;21(2):150.
123. BARLOW A, BLODGETT JM, WILLIAMS S, PEDLAR CR, BRUINVELS G. Injury incidence, severity, and type across the menstrual cycle in female footballers: a prospective three season cohort study. *Med Sci Sports Exerc.* 2024;56(6):1151–1158.
124. Dande J, Mallick A, Patil AA, Kalra SS. Injury surveillance during elite women's national boxing championship in India. *Med J Armed Forces India.* 2023;79(3):262–266.
125. Williams A, Peirce N, Griffin S, Langley B, Warren A, Wedatilake T, et al. A similar injury profile observed in franchise men's and women's cricket in England and Wales: injury surveillance analysis from the first three 'The Hundred' competitions. *BMJ Open Sport Exerc Med.* 2024;10(1), e001815.
126. Charpy S, Billard P, Dandrieux PE, Chapon J, Tondut J, Edouard P. Injuries in french high-level and national-level women artistic gymnastics: one-year prevalence and associated factors. *Applied Sciences.* 2023;13(19):10600.
127. Calcar A, Hager JP, Delaitre R, Deloire J, Loursac R. Étude épidémiologique des blessures liées à la pratique du rugby à XV en équipe de France féminine. *Journal de Traumatologie du Sport.* 2024;41(1):46–57.
128. Patterson BE, Crossley KM, Haberfield MJ, Mosler AB, Cowan SM, Lawrence J, et al. Injury prevention for women and girls playing Australian Football: programme cocreation, dissemination and early adopter coach feedback. *BMJ Open Sport Exerc Med.* 2024;10(1), e001711.
129. Huang Y, Li C, Bai Z, Wang Y, Ye X, Gui Y, et al. The impact of sport-specific physical fitness change patterns on lower limb non-contact injury risk in youth female basketball players: a pilot study based on field testing and machine learning. *Front Physiol.* 2023;14.
130. O'Connor S, Moran K, Sheridan A, Brady S, Bruce C, Beidler E, et al. Fear avoidance after injury and readiness to return to sport in collegiate male and female gaelic games players. *Sports Health: A Multidisciplinary Approach.* 2021;13(6):532–539.
131. Kostyun RO, Burland JP, Kostyun KJ, Milewski MD, Nissen CW. Male and female adolescent athletes' readiness to return to sport after anterior cruciate ligament injury and reconstruction. *Clin J Sport Med.* 2021;31(4):383–387.
132. O'Sullivan L, Preszler J, Tanaka M. Hamstring injury rehabilitation and prevention in the female athlete. *Int J Sports Phys Ther.* 2022;17(6).
133. Escaloni J, Mazloomdoost D, Young I. Novel orthobiologic preparation and regenerative rehabilitation of a complex shoulder injury in a competitive adolescent female athlete. *Int J Sports Phys Ther.* 2023;18(1).
134. Roubea I, Korakakis V. Rehabilitation following ulnar collateral ligament injury of the elbow in a female acrobatic athlete: a case report. *J Bodyw Mov Ther.* 2024;38:329–338.